

October 2, 2003

TEST REPORT

Send To 85A89
NEW ATTITUDE BEVERAGE CORP.
880 APOLLO STREET
SUITE 335
EL SEGUNDO CA 90245
Attn: MR. SIMON GINSBERG

Customer 85A89
NEW ATTITUDE BEVERAGE CORP.
880 APOLLO STREET
SUITE 335
EL SEGUNDO CA 90245
Attn: MR. SIMON GINSBERG


Plant 85A90
WATERMARK BEVERAGES INC
8591 FRASER STREET
VANCOUVER BC V5X 3Y1
CANADA
Attn: MR. SIMON GINSBERG

Product: Premium Glacier Water Product

Test Type: AA - Annual Collection

The enclosed report details the results of the testing performed by NSF on your product(s). Your program representative will contact you if there are any remaining issues concerning the evaluation/certification of this product.

Please contact your representative if you have any questions. We thank you for having your product(s) tested by NSF.

Reviewer: 
Kurtis Kneen - Director, Chemistry Lab

Status: _____

CC : 300 - Bottled Water - Certification
Eric J. Brasseur
01 - Domestic

PA Project : 74946
PA Job : CL01

Project #: 300
 Region: 01
 NSF Field Representative: Eric J. Brasseur

Lab Number: S309108470
Description: Premium Glacier Water Product
Sampled: SEP 11, 2003
Received: SEP 10, 2003

Brand Name: Watermark Beverages Inc.
 Product Name: Premium Glacier Water Product
 Sampled from: Bottle

Parameter	Result	Reporting Limit	Units	Prepared Analyzed	Entered	FDA Req.*
Alkalinity as CaCO3	ND	5	mg/L CaCO3		02-OCT-03	
Date Analyzed				11-SEP-2003	11-SEP-03	
Aluminum	ND	0.01	mg/L		17-SEP-03	0.2
Date Analyzed				17-SEP-2003	17-SEP-03	
Antimony	ND	0.0006	mg/L		19-SEP-03	0.006
Date Analyzed				17-SEP-2003	19-SEP-03	
Arsenic	ND	0.002	mg/L		17-SEP-03	0.05
Date Analyzed				17-SEP-2003	17-SEP-03	
Asbestos in Water (CLAYTON)(Ref: EPA 600/4-83/043,100.1) a						
Chrysotile Fibers	ND	0.2	MFL		24-SEP-03	
Amphibole Fibers	ND	0.2	MFL		24-SEP-03	
Single Fiber Detection Limit	ND	0.2	MFL		24-SEP-03	
Date Sampled	11-SEP-2003				24-SEP-03	
Time Sampled	7:45 am				24-SEP-03	
Date Filtered	12-SEP-2003				24-SEP-03	
Time Filtered	2:38 pm				24-SEP-03	
Date Analyzed				17-SEP-2003	24-SEP-03	
Time Analyzed	1:04 pm				24-SEP-03	
Barium	0.02	0.01	mg/L		19-SEP-03	2.0
Date Analyzed				17-SEP-2003	19-SEP-03	
Beryllium	ND	0.0005	mg/L		19-SEP-03	0.004
Date Analyzed				17-SEP-2003	19-SEP-03	
Bromate, 300.1						
Bromate	ND	5	ug/L		15-SEP-03	10
Date Analyzed				12-SEP-2003	15-SEP-03	
Comment:					15-SEP-03	
NELAC approved method						
Bromide, 300.1						
Bromide	ND	10	ug/L		15-SEP-03	
Date Analyzed				12-SEP-2003	15-SEP-03	
Cadmium	ND	0.0003	mg/L		19-SEP-03	0.005

Parameter	Result	Reporting Limit	Units	Prepared Analyzed	Entered	FDA Req.*
Date Analyzed				17-SEP-2003	19-SEP-03	
Calcium	0.38	0.02	mg/L		19-SEP-03	
Date Analyzed				18-SEP-2003	19-SEP-03	
Chloride	ND	0.2	mg/L		12-SEP-03	250.0
Date Analyzed				11-SEP-2003	12-SEP-03	
Chlorine, Total Residual (Ref: EPA 330.5)						
Chlorine, Total Residual	ND	0.05	mg/L		11-SEP-03	4.0
Date Analyzed				11-SEP-2003	11-SEP-03	
Time Analyzed	11:00				11-SEP-03	
Chromium (includes Hexavalent Chromium)	ND	0.001	mg/L		19-SEP-03	0.1
Date Analyzed				17-SEP-2003	19-SEP-03	
Color (Ref: EPA 110.2)						
Color	ND	5	Color Unit		11-SEP-03	15
Date Analyzed				11-SEP-2003	11-SEP-03	
Time Analyzed	10:40				11-SEP-03	
Copper	ND	0.01	mg/L		19-SEP-03	1
Date Analyzed				17-SEP-2003	19-SEP-03	
Corrosivity, 203						
Corrosivity	-4.69	0			24-SEP-03	
Cyanide, Total	ND	0.01	mg/L		12-SEP-03	0.2
Date Analyzed				12-SEP-2003	12-SEP-03	
Fluoride	ND	0.1	mg/L		12-SEP-03	1.4 - 2.4
Date Analyzed				12-SEP-2003	12-SEP-03	
Iron	ND	0.02	mg/L		19-SEP-03	0.3
Date Analyzed				18-SEP-2003	19-SEP-03	
Lead	ND	0.001	mg/L		17-SEP-03	0.005
Date Analyzed				17-SEP-2003	17-SEP-03	
Magnesium	0.05	0.02	mg/L		19-SEP-03	
Date Analyzed				18-SEP-2003	19-SEP-03	
Manganese	ND	0.01	mg/L		17-SEP-03	0.05
Date Analyzed				17-SEP-2003	17-SEP-03	
Surfactants, Methylene Blue Active Substances (Ref: EPA 425.1)						
Surfactants (MBAS)	ND	0.2	mg/L		11-SEP-03	0.50
Date Analyzed				11-SEP-2003	11-SEP-03	
Time Analyzed	14:00				11-SEP-03	
Mercury	ND	0.0002	mg/L		19-SEP-03	0.002
Date Analyzed				17-SEP-2003	19-SEP-03	

Parameter	Result	Reporting Limit	Units	Prepared Analyzed	Entered	FDA Req.*
Nickel	ND	0.01	mg/L		19-SEP-03	0.1
Date Analyzed				17-SEP-2003	19-SEP-03	
Nitrogen, Nitrate (Ref: EPA 300)						
Nitrogen, Nitrate	0.08	0.01	mg/L N		12-SEP-03	10.0
Date Analyzed				11-SEP-2003	12-SEP-03	
Time Analyzed	10:12				12-SEP-03	
Nitrogen, Nitrite (Ref: EPA 300)						
Nitrogen, Nitrite	ND	0.005	mg/L N		12-SEP-03	1.0
Date Analyzed				11-SEP-2003	12-SEP-03	
Time Analyzed	10:12				12-SEP-03	
Odor, Threshold	1	1	TON		11-SEP-03	3
Date Analyzed				11-SEP-2003	11-SEP-03	
pH (Ref: EPA 150.1)						
pH	5.50	0.01			11-SEP-03	6.5 - 8.5
Date Analyzed				11-SEP-2003	11-SEP-03	
Time Analyzed	11:15				11-SEP-03	
Phenolics	ND	0.001	mg/L		16-SEP-03	0.001
Date Analyzed				15-SEP-2003	16-SEP-03	
Potassium	ND	0.5	mg/L		19-SEP-03	
Date Analyzed				18-SEP-2003	19-SEP-03	
Selenium	ND	0.004	mg/L		19-SEP-03	0.05
Date Analyzed				17-SEP-2003	19-SEP-03	
Silver	ND	0.001	mg/L		17-SEP-03	0.1
Date Analyzed				17-SEP-2003	17-SEP-03	
Sodium	ND	0.5	mg/L		19-SEP-03	
Date Analyzed				18-SEP-2003	19-SEP-03	
Specific Conductance	4.3	0.1	umhos/cm		12-SEP-03	
Date Analyzed				12-SEP-2003	12-SEP-03	
Sulfur, Sulfate	0.5	0.1	mg/L		12-SEP-03	250.0
Date Analyzed				11-SEP-2003	12-SEP-03	
Solids Total Dissolved	ND	5	mg/L		12-SEP-03	500
Date Analyzed				12-SEP-2003	12-SEP-03	
Thallium	ND	0.0002	mg/L		19-SEP-03	0.002
Date Analyzed				17-SEP-2003	19-SEP-03	
Turbidity (Ref: EPA 180.1)						
Turbidity	0.1	0.1	NTU		11-SEP-03	5
Date Analyzed				11-SEP-2003	11-SEP-03	
Time Analyzed	11:05				11-SEP-03	

Parameter	Result	Reporting Limit	Units	Prepared Analyzed	Entered	FDA Req.*
Zinc	ND	0.01	mg/L		19-SEP-03	5.0
Date Analyzed				17-SEP-2003	19-SEP-03	
Organic Chemicals						
Pesticides (Ref: EPA 531.1)						
Aldicarb sulfoxide	ND	1	ug/L		18-SEP-03	
Aldicarb sulfone	ND	1	ug/L		18-SEP-03	
Oxamyl	ND	1	ug/L		18-SEP-03	200.0
Aldicarb	ND	1	ug/L		18-SEP-03	
Carbofuran	ND	1	ug/L		18-SEP-03	40.0
Methomyl	ND	1	ug/L		18-SEP-03	
Carbaryl	ND	1	ug/L		18-SEP-03	
3-Hydroxycarbofuran	ND	1	ug/L		18-SEP-03	
Date Analyzed				17-SEP-2003	18-SEP-03	
Herbicides (Ref: EPA 515.3)						
Dalapon	ND	1.3	ug/L		18-SEP-03	200.0
Dicamba	ND	0.1	ug/L		18-SEP-03	
2,4-D	ND	0.1	ug/L		18-SEP-03	70.0
Pentachlorophenol	ND	0.1	ug/L		18-SEP-03	1.0
2,4,5-TP	ND	0.2	ug/L		18-SEP-03	50.0
Dinoseb	ND	0.2	ug/L		18-SEP-03	7.0
Picloram	ND	0.1	ug/L		18-SEP-03	500.0
Bentazon	ND	0.2	ug/L		18-SEP-03	
DCPA Acid Metabolites	ND	0.2	ug/L		18-SEP-03	
Date Prepared				16-SEP-2003	18-SEP-03	
Date Analyzed				16-SEP-2003	18-SEP-03	
Semivolatile Organic Compounds, EPA 525.2						
Date Prepared				19-SEP-2003	24-SEP-03	
Date Analyzed				23-SEP-2003	24-SEP-03	
Nitrobenzene	ND	5	ug/L		24-SEP-03	
Hexachlorocyclopentadiene	ND	0.1	ug/L		24-SEP-03	50.0
EPTC	ND	0.5	ug/L		24-SEP-03	
Dimethylphthalate	ND	2	ug/L		24-SEP-03	
2,6-Dinitrotoluene	ND	0.5	ug/L		24-SEP-03	
2,4 Dinitrotoluene	ND	0.5	ug/L		24-SEP-03	
Molinate	ND	0.1	ug/L		24-SEP-03	
Diethylphthalate	ND	2	ug/L		24-SEP-03	
Propachlor	ND	0.1	ug/L		24-SEP-03	
Hexachlorobenzene	ND	0.1	ug/L		24-SEP-03	1.0
Simazine	ND	0.2	ug/L		24-SEP-03	4.0
Atrazine	ND	0.2	ug/L		24-SEP-03	3.0
Lindane	ND	0.1	ug/L		24-SEP-03	0.2
Terbacil	ND	0.5	ug/L		24-SEP-03	
Metribuzin	ND	0.1	ug/L		24-SEP-03	
Alachlor	ND	0.1	ug/L		24-SEP-03	2.0
Heptachlor	ND	0.1	ug/L		24-SEP-03	0.4
Di-n-butylphthalate	ND	2	ug/L		24-SEP-03	
Metolachlor	ND	0.1	ug/L		24-SEP-03	
Thiobencarb	ND	0.1	ug/L		24-SEP-03	
Aldrin	ND	0.1	ug/L		24-SEP-03	

Parameter	Result	Reporting Limit	Units	Prepared Analyzed	Entered	FDA Req.*
Organic Chemicals						
Heptachlor Epoxide	ND	0.1	ug/L		24-SEP-03	0.2
Butachlor	ND	0.2	ug/L		24-SEP-03	
p,p'-DDE (4,4'-DDE)	ND	0.5	ug/L		24-SEP-03	
Dieldrin	ND	0.5	ug/L		24-SEP-03	
Endrin	ND	0.1	ug/L		24-SEP-03	2.0
Butylbenzylphthalate	ND	2	ug/L		24-SEP-03	
bis(2-Ethylhexyl)adipate	ND	2	ug/L		24-SEP-03	40.0
Methoxychlor	ND	0.1	ug/L		24-SEP-03	40.0
bis(2-Ethylhexyl)phthalate	ND	2	ug/L		24-SEP-03	
Benzo(a)pyrene	ND	0.1	ug/L		24-SEP-03	0.2
Acetochlor	ND	0.5	ug/L		24-SEP-03	
Volatile Organic Chemicals						
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 502.2)				11-SEP-2003	22-SEP-03	
Date Analyzed						
Dichlorodifluoromethane	ND	0.5	ug/L		22-SEP-03	
Chloromethane	ND	0.5	ug/L		22-SEP-03	
Vinyl Chloride	ND	0.5	ug/L		22-SEP-03	2.0
Bromomethane	ND	0.5	ug/L		22-SEP-03	
Chloroethane	ND	0.5	ug/L		22-SEP-03	
Trichlorofluoromethane	ND	0.5	ug/L		22-SEP-03	
Trichlorotrifluoroethane	ND	0.5	ug/L		22-SEP-03	
Methylene Chloride	ND	0.5	ug/L		22-SEP-03	5.0
1,1-Dichloroethylene	ND	0.5	ug/L		22-SEP-03	7.0
trans-1,2-Dichloroethylene	ND	0.5	ug/L		22-SEP-03	100.0
1,1-Dichloroethane	ND	0.5	ug/L		22-SEP-03	
2,2-Dichloropropane	ND	0.5	ug/L		22-SEP-03	
cis-1,2-Dichloroethylene	ND	0.5	ug/L		22-SEP-03	70.0
Chloroform	ND	0.5	ug/L		22-SEP-03	100.0
Bromochloromethane	ND	0.5	ug/L		22-SEP-03	
1,1,1-Trichloroethane	ND	0.5	ug/L		22-SEP-03	200.0
1,1-Dichloropropene	ND	0.5	ug/L		22-SEP-03	
Carbon Tetrachloride	ND	0.5	ug/L		22-SEP-03	5.0
1,2-Dichloroethane	ND	0.5	ug/L		22-SEP-03	5.0
Trichlorethylene	ND	0.5	ug/L		22-SEP-03	5.0
1,2-Dichloropropane	ND	0.5	ug/L		22-SEP-03	5.0
Bromodichloromethane	ND	0.5	ug/L		22-SEP-03	100.0
Dibromomethane	ND	0.5	ug/L		22-SEP-03	
cis-1,3-Dichloropropene	ND	0.5	ug/L		22-SEP-03	
trans-1,3-Dichloropropene	ND	0.5	ug/L		22-SEP-03	
1,1,2-Trichloroethane	ND	0.5	ug/L		22-SEP-03	5.0
1,3-Dichloropropane	ND	0.5	ug/L		22-SEP-03	
Tetrachloroethylene	ND	0.5	ug/L		22-SEP-03	5.0
Chlorodibromomethane	ND	0.5	ug/L		22-SEP-03	100.0
Chlorobenzene	ND	0.5	ug/L		22-SEP-03	100.0
1,1,1,2-Tetrachloroethane	ND	0.5	ug/L		22-SEP-03	
Bromoform	ND	0.5	ug/L		22-SEP-03	100.0
1,1,2,2-Tetrachloroethane	ND	0.5	ug/L		22-SEP-03	
1,2,3-Trichloropropane	ND	0.5	ug/L		22-SEP-03	
1,3-Dichlorobenzene	ND	0.5	ug/L		22-SEP-03	

Parameter	Result	Reporting Limit	Units	Prepared Analyzed	Entered	FDA Req.*
Volatile Organic Chemicals						
1,4-Dichlorobenzene	ND	0.5	ug/L		22-SEP-03	75.0
1,2-Dichlorobenzene	ND	0.5	ug/L		22-SEP-03	600.0
Methyl-tert-Butyl Ether (MTBE)	ND	0.5	ug/L		22-SEP-03	
Toluene	ND	0.5	ug/L		22-SEP-03	1000
Ethyl Benzene	ND	0.5	ug/L		22-SEP-03	700.0
m+p-Xylenes	ND	1	ug/L		22-SEP-03	
o-Xylene	ND	0.5	ug/L		22-SEP-03	10000
Styrene	ND	0.5	ug/L		22-SEP-03	100.0
Isopropylbenzene (Cumene)	ND	0.5	ug/L		22-SEP-03	
n-Propylbenzene	ND	0.5	ug/L		22-SEP-03	
Bromobenzene	ND	0.5	ug/L		22-SEP-03	
2-Chlorotoluene	ND	0.5	ug/L		22-SEP-03	
4-Chlorotoluene	ND	0.5	ug/L		22-SEP-03	
1,3,5-Trimethylbenzene	ND	0.5	ug/L		22-SEP-03	
tert-Butylbenzene	ND	0.5	ug/L		22-SEP-03	
1,2,4-Trimethylbenzene	ND	0.5	ug/L		22-SEP-03	
sec-Butylbenzene	ND	0.5	ug/L		22-SEP-03	
p-Isopropyltoluene (Cymene)	ND	0.5	ug/L		22-SEP-03	
1,2,3-Trimethylbenzene	ND	0.5	ug/L		22-SEP-03	
n-Butylbenzene	ND	0.5	ug/L		22-SEP-03	
1,2,4-Trichlorobenzene	ND	0.5	ug/L		22-SEP-03	70.0
Hexachlorobutadiene	ND	0.5	ug/L		22-SEP-03	
1,2,3-Trichlorobenzene	ND	0.5	ug/L		22-SEP-03	
Naphthalene	ND	0.5	ug/L		22-SEP-03	
Benzene	ND	0.5	ug/L		22-SEP-03	5.0
Total Trihalomethanes	ND	0.5	ug/L		22-SEP-03	80.0
VOC Synonym Comment #1					22-SEP-03	
1, 1, 2 - Trichloro - 1, 2, 2 - Trifluoroethane is synonym with Trichlorotrifluoroethane						
VOC Synonym Comment #2					22-SEP-03	
Dichloromethane is synonym with Methylene Chloride						
VOC Synonym Comment #3					22-SEP-03	
Monochlorobenzene is synonym with Chlorobenzene						
External Note:					22-SEP-03	
Analysis of the laboratory blank prepared at the time of sample processing was negative.						
Additional Analytical Testing						
Chloramines by SM 4500-Cl-G						
Monochloramine	ND	0.05	mg/L		11-SEP-03	
Dichloramine	ND	0.05	mg/L		11-SEP-03	
Nitrogen trichloride	ND	0.05	mg/L		11-SEP-03	
Date Analyzed				11-SEP-2003	11-SEP-03	
Time Analyzed	12:06				11-SEP-03	
Chlorine Dioxide by SM 4500-ClO2-D						
Chlorine Dioxide	ND	0.1	mg/L		11-SEP-03	0.8
Date Analyzed				11-SEP-2003	11-SEP-03	
Time Analyzed	12:06				11-SEP-03	
Chlorite, 300.1						
Chlorite	ND	10	ug/L		15-SEP-03	1000
Date Analyzed				12-SEP-2003	15-SEP-03	
Dioxin, 2,3,7,8-TCDD (PACE)(Ref: SM 1613A) ^b						
2,3,7,8-Tetrachlorodibenzo-p-dioxin	ND	5	pg/L		29-SEP-03	30

Parameter	Result	Reporting Limit	Units	Prepared Analyzed	Entered	FDA Req.*
Additional Analytical Testing						
Date Prepared				18-SEP-2003	29-SEP-03	
Date Analyzed				22-SEP-2003	29-SEP-03	
Diquat	ND	0.5	ug/L		18-SEP-03	20.0
Date Prepared				15-SEP-2003	18-SEP-03	
Date Analyzed				15-SEP-2003	18-SEP-03	
Endothall	ND	9	ug/L		29-SEP-03	100.0
Date Prepared				12-SEP-2003	29-SEP-03	
Date Analyzed				15-SEP-2003	29-SEP-03	
Glyphosate	ND	6	ug/L		21-SEP-03	700.0
Date Analyzed				12-SEP-2003	21-SEP-03	
Haloacetic Acids, EPA 552.2						
Monobromoacetic Acid	ND	1	ug/L		01-OCT-03	
Monochloroacetic Acid	ND	2	ug/L		01-OCT-03	
Dibromoacetic Acid	ND	1	ug/L		01-OCT-03	
Dichloroacetic Acid	ND	1	ug/L		01-OCT-03	
Trichloroacetic Acid	ND	1	ug/L		01-OCT-03	
Bromochloroacetic Acid	ND	1	ug/L		01-OCT-03	
Date Prepared				26-SEP-2003	01-OCT-03	
Date Analyzed				26-SEP-2003	01-OCT-03	
Multicomponent Pesticides and PCBs (Ref: EPA 505)						
Chlordane	ND	0.2	ug/L		19-SEP-03	2.0
Toxaphene	ND	1	ug/L		19-SEP-03	3.0
PCB 1016	ND	0.3	ug/L		19-SEP-03	0.5
PCB 1221	ND	0.4	ug/L		19-SEP-03	0.5
PCB 1232	ND	0.4	ug/L		19-SEP-03	0.5
PCB 1242	ND	0.3	ug/L		19-SEP-03	0.5
PCB 1248	ND	0.2	ug/L		19-SEP-03	0.5
PCB 1254	ND	0.2	ug/L		19-SEP-03	0.5
PCB 1260	ND	0.3	ug/L		19-SEP-03	0.5
Date Analyzed				15-SEP-2003	19-SEP-03	
Perchlorate, EPA 314.0						
Perchlorate	ND	3	ug/L		18-SEP-03	
Date Prepared				16-SEP-2003	18-SEP-03	
Date Analyzed				16-SEP-2003	18-SEP-03	
Time Analyzed	12:38				18-SEP-03	
Uranium in Drinking Water by ICP/MS (Ref: EPA-200.8)						
Uranium	ND	1	ug/L		19-SEP-03	
Date Analyzed				17-SEP-2003	19-SEP-03	
Volatiles: EDB and DBCP, EPA 504.1						
Ethylene Dibromide (EDB)	ND	0.01	ug/L		01-OCT-03	0.05
1,2-Dibromo-3-Chloropropane (DBCP)	ND	0.02	ug/L		01-OCT-03	0.2
Date Analyzed				25-SEP-2003	01-OCT-03	

Certifications:	California	#01149 CA	Connecticut	#PH-0625	Florida	#E-87552 FL
	Michigan	#0048	New Jersey	#62770	New York	#11206
	Pennsylvania	#68-312	South Carolina	#81005		

All work performed at NSF International, 789 Dixboro Road, Ann Arbor, MI 48105

Except as noted:

a Clayton Environmental
400 Chastain Center Blvd. NW
Suite 490
Kennesaw, GA 30144

b Pace Analytical Services, Inc.
Minneapolis Laboratory
1700 Elm Street SE, Suite 200
Minneapolis, MN 55414

References to Testing Procedures:

<u>Parameter/Test Description</u>	<u>NSF Reference</u>
Alkalinity (Ref: EPA 310.1)	- I5310BW
Aluminum (Ref: EPA 200.7)	- I3AL041BW
Antimony in Drinking Water by ICP/MS (Ref: EPA-200.8)	- I3SB041BW
Arsenic in Drinking Water by ICP/MS (Ref: EPA-200.8)	- I3AS041BW
Asbestos in Water (CLAYTON)(Ref: EPA 600/4-83/043,100.1)	- I0100BW
Barium (Ref: EPA 200.8)	- I3BA041BW
Beryllium in Drinking Water by ICP/MS (Ref: EPA-200.8)	- I3BE041BW
Bromate, 300.1	- I204300BW
Bromide, 300.1	- I203300BW
Cadmium in Drinking Water by ICP/MS (Ref: EPA-200.8)	- I3CD041BW
Calcium (Ref: EPA 200.7)	- I3CA031BW
Chloramines by SM 4500-Cl-G	- I5332BW
Chloride (Ref: EPA 300.0)	- I202300BW
Chlorine Dioxide by SM 4500-ClO2-D	- I5331BW
Chlorine, Total Residual (Ref: EPA 330.5)	- I5330BW
Chlorite, 300.1	- I26006BW
Chromium in Drinking Water by ICP/MS (Ref: EPA-200.8)	- I3CR041BW
Color (Ref: EPA 110.2)	- I5110BW
Copper (Ref: EPA 200.8)	- I3CU041BW
Corrosivity, 203	- K12015203
Cyanide, Total (Ref: EPA 335.4)	- I2335BW
Dioxin, 2,3,7,8-TCDD (PACE)(Ref: SM 1613A)	- O101613CBW
Diquat, EPA 549.2	- O461549BW
Endothall (Ref: EPA 548.1)	- O57075NSF
Fluoride (Ref: SM4500FC)	- I5340BW
Glyphosate, EPA 547	- O462547BW
Haloacetic Acids, EPA 552.2	- O55002552
Herbicides (Ref: EPA 515.3)	- O56515BW
Iron (Ref: EPA 200.7)	- I3FE031BW
Lead in Drinking Water by ICP/MS (Ref: EPA-200.8)	- I3PB041BW
Magnesium (Ref: EPA 200.7)	- I3MG031BW
Manganese (Ref: EPA 200.7)	- I3MN041BW
Mercury (Ref: EPA 200.8)	- I3HG041BW
Multicomponent Pesticides and PCBs (Ref: EPA 505)	- O54505BW
Nickel (Ref: EPA 200.7)	- I3NI041BW
Nitrogen, Nitrate (Ref: EPA 300)	- I207300BW
Nitrogen, Nitrite (Ref: EPA 300)	- I211300BW
Odor, Threshold Number (Ref: EPA 140.1)	- E7140BW
Perchlorate, EPA 314.0	- I204314BW
Pesticides (Ref: EPA 531.1)	- O4531BW
Phenolics, Total Recoverable (Ref: EPA 420.4)	- I2420BW
Potassium (Ref: EPA 200.7)	- I3K0031BW
Selenium in Drinking Water by ICP/MS (Ref: EPA-200.8)	- I3SE041BW
Semivolatile Organic Compounds, EPA 525.2	- O28525BW
Silver in Drinking Water by ICP/MS (Ref: EPA-200.8)	- I3AG041BW
Sodium (Ref: EPA 200.7)	- I3NA031BW
Solids, Total Dissolved (Ref: SM2540C)	- I4160BW
Specific Conductance (Ref: EPA 120.1)	- I5120BW
Sulfur, Sulfate (Ref: EPA 300)	- I217300BW
Surfactants, Methylene Blue Active Substances (Ref: EPA 425.1)	- I4425BW
Thallium in Drinking Water by ICP/MS (Ref: EPA-200.8)	- I3TL041BW
Turbidity (Ref: EPA 180.1)	- I4180BW

Uranium in Drinking Water by ICP/MS (Ref: EPA-200.8)
Volatiles: EDB and DBCP, EPA 504.1
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 502.2)
Zinc (Ref: EPA 200.7)
pH (Ref: EPA 150.1)

- I3U0041BW
- O52504BW
- O3502BW
- I3ZN041BW
- I5150BW

* NSF Reporting Limit is less than or equal to the FDA Requirement.
ND = Not Detectable at Reporting Limit.